

BIBFRAME Update Forum
ALA Annual Conference 2018
New Orleans

From MARC to BIBFRAME in the SHARE-VDE project

Tiziana Possemato
Casalini Libri - @Cult



Introduction and overall project goals



What is SHARE-VDE?

SHARE-VDE is an initiative driven by the library community to establish processes to move the LAM traditional data to the new linked data frontier.

SHARE-VDE aims to establish an **effective working environment** for the use of linked data in the library context and beyond.

The project **enriches library data** with additional information and relationships, previously unexpressed under MARC, and it converts bibliographic and authority data in linked data.

It also creates a **virtual discovery platform** with the three-layered structure of the **BIBFRAME** data model, to simplify the human's data consuming.



Who is responsible for it?

SHARE-VDE is a collaborative endeavour based on the requirements and perceptions of libraries, developed by:

- **Casalini Libri**, provider of bibliographic and authority data as member of the Program for Cooperative Cataloguing
- **@Cult**, provider of ILS, Discovery tools and Semantic web solutions for the cultural heritage sector

with initial input and active participation from **16 North American Research Libraries**.

The initiative is governed by the library community.



SHARE-VDE overall goals

The main areas of the SHARE-VDE project:

- **Enrichment** of MARC record with URIs
- **Conversion from MARC to RDF** using the BIBFRAME vocabulary (and other additional ontologies as needed)
- **Data publication** according to the **BIBFRAME** data model
- Batch/automated **data updating** procedures
- Batch/automated **data dissemination** to libraries
- Progressive implementation of further **use cases** in the priority order defined by the community

The SHARE-VDE portal (www.share-vde.org)

The screenshot displays the SHARE-VDE portal's search results for the query "Vivaldi, Antonio".

Header: The top navigation bar includes links for "Browse", "SHARE", "Virtual", "Discovery", "Environment", "Person/Work", "Italiano", "Info | Contacts", and font size controls (A A A). Below the navigation are search fields for "Person", "Work", "Publishers", and "Subject".

Search Results: The main search area features a portrait of Antonio Vivaldi. Below the portrait, the search term "Vivaldi, Antonio, 1678-1741" is listed with an ID of "20355". A link labeled "Works" is present.

Left Panel: A box titled "This person in" lists external identifiers from Wikidata, Library of Congress, WorldCat Identities, and data.bnf.fr. It also includes a "Wikipedia" link.

Right Panel: This panel contains two sections: "Other name forms" and "Bibliography".

- Other name forms:** Includes links for various forms of his name, such as "Vivaldi, Antonio, 1678-1741", "Вивальди, А. 1678-1741", and "Vivaldi, Antonio, 1680-1741".
- Bibliography:** Provides a link to search Google for "3 quartets for two violins, viola, and cello (with bass ad libitum)".

Bottom Navigation: Buttons for "SELECT ALL", "UNCHECKED ALL", "EXPAND ALL", and "CLOSE ALL" are located at the bottom of the search results.


Faceted Search: Below the main search results, there are two facets: "A-C" and "D-E". Each facet contains a grid of search terms, each with a checkbox and a magnifying glass icon.

Facet	Search Term
A-C	Alla caccia, alla caccia
	Amadeus
	Biondina in gondoleta
	Chamber music
D-E	Cimento dell'armonia e dell'inventione
	Classical music library
	Concertos
	Concertos pour mandoline


SHARE-VDE process overview




The SHARE-VDE processes



Focus on processes 1/2



Focus on processes 2/2




The project heart:

**Entity identification, Reconciliation,
Data enrichment
and
BIBFRAME Conversion**



The new revolution: from record to entity



How reconciliation is obtained

Scope of these processes is to bring together and to make data available from different sources in a way that could be defined as *democratic* to better identify the entity in question.

Data reconciliation and enrichment is obtained by:

- *automated processes*
- *manual processes*

It is important to underline how the *relationship between the reconciliation and validation of the results* can differ greatly between the automated and manual processes:


- automated processes: a high level of reconciliation and clustering; a low level of result validation;
- manual processes: a low level of reconciliation and clustering; a high level of result validation.






Massive clusters processes

- Authority headings analysis and process in PostgresSql
- Data enrichment with external sources
- MARC bibliographic process
- Entity detection (authors and co-authors identification process)
- Name heading-to-Authority names association (through a weighted comparison algorithm)
- Name heading-to-Variant names association
- Cluster check (it exists = add; it doesn't exist = create new)



Entities in *cluster*: an example of collaboration and sharing



The screenshot shows a digital library interface for the entity Antonio Vivaldi. At the top left is a portrait of Antonio Vivaldi. Below the portrait, a box contains the identifier "Vivaldi, Antonio, 1678-1741" and "ID: 37154". To the right of this box is a vertical line. Below the line is another box containing logos for Wikidata, Library of Congress, data.bnfr, and VIAF, with the text "Questo autore in". To the right of these boxes is a large list titled "Altre forme del nome" (Other forms of the name). The list includes various name variants and their sources, such as:

- Vivaldi, Antonio, 1678-1741
- 1678-1741, אנטוניו, וילדי
- Vivaldi, Antonio, 1678-1741
- Vivaldi, Antonio
- Vivaldi, Antonio, sac., 1678-1741
- Вивальди, А. 1678-1741 Антонио
- Вивальди, Антонио, 1678-1741
- Vivaldi, Antonio, 1680-1741
- 1741-1678, فيفالدي، أنطونيو،
- Antonio Vivaldi compositore e violinista italiano esponente di spicco dell'alto barocco veneziano
- Vivaldi, Antonio, ca.1678-1741
- Vivaldi, Antonio (Italian composer and musician, 1678-1741)
- Prete rosso, 1678-1741
- Vivaldis, A., 1678-1741
- Vivaldi, A. (Antonio), 1678-1741
- Vivarudi, Antonio, 1678-1741
- Vivaldi, Antonio

... (altre forme)

The result of a reconciliation of the entity *Antonio Vivaldi* in the Share VDE project, with data from different sources and projects:

- the authorized form from a local authority file
- the variant forms originating from the references on the local authority records
- the variant forms originating from the VIAF
- the forms of the name used in the bibliographic records.

The cluster is completed and enriched with identifiers for the same entity, Antonio Vivaldi, from sources such as:

- Wikidata
- Library of Congress Name Authority File
- Data.bnfr
- VIAF




An example of Work/Instances reconciliation

Grouping under a single work title
of the many publication titles in
the catalogue for *Cimento
dell'armonia e dell'inventione*

Single work title

Brings together different
publications/resources
present in different catalogues.




http://share-vde.org/sharevde/searchTitles?t_cluster_id=11287



Lodify - Conversion templates


Lodify converts each incoming record by means of Conversion templates.
Each template associates:

- a MARC record belonging to the incoming data-stream
- with a set of (conversion) rules associated with BIBFRAME vocabulary
(here, two rules for tag 300a and tag 300c)



Lodify - Conversion templates

100 10\$aCastro, Juan Antonio.\$1http://share-vde.org/sharevde/rdfBibframe/Agent/1801277\$0http://id.loc.gov/authorities/names/n88638722\$1http://www.isni.org/isni/000000059264386\$1http://www.wikidata.org/entity/Q21480742\$1http://viaf.org/viaf/63125720/



<<http://share-vde.org/sharevde/rdfBibframe/Agent/1801277>> <<http://www.w3.org/1999/02/22-rdf-syntax-ns#type>>
<[bf:Person](#)> .

<<http://share-vde.org/sharevde/rdfBibframe/Agent/1801277>> <[rdfs:label](#)> "Castro, Juan Antonio." .

<<http://share-vde.org/sharevde/rdfBibframe/Agent/1801277>> <[bf:lc:name00MatchKey](#)> "Castro, Juan Antonio." .

<<http://share-vde.org/sharevde/rdfBibframe/Agent/1801277>> <[bf:lc:name00MarcKey](#)> "10010\$aCastro, Juan Antonio.\$1http://share-vde.org/sharevde/rdfBibframe/Agent/1801277 \$0http://id.loc.gov/authorities/names/n88638722\$1http://www.isni.org/isni/000000059264386 \$1http://www.wikidata.org/entity/Q21480742 \$1http://viaf.org/viaf/63125720/" .

<<http://share-vde.org/sharevde/rdfBibframe/Agent/1801277>> <[bf:lc:primaryContributorName00MatchKey](#)> "Castro, Juan Antonio." .

SHARE-VDE phase 2 deliverables



Phase 2 deliverables overview



BIB1



BIB2



BIB...

SHARE-VDE URIs



Marc enriched
(Binary)
(one for LIB)

Deliverable 4: The MARC21 records
for each institution enriched with
URIs



Clusters Knowledge base

Deliverable 2: The knowledge base
of clusters accessible in RDF



External (VIAF) URIs

Deliverable 3: The datasets in BIBFRAME
2.0 for each institution with the triples
that include the URIs from the external
sources



Phase 2 deliverables overview

Linked	Deliverable	Description	Notes
	D1	the catalogue of each library converted into BIBFRAME 2.0 format	Entities are reconciled in the dataset and linked to SHARE-VDE project URIs of D2 for identification.
	D2	the Cluster Knowledge Base in RDF format	Is common for all institutions as it includes data from all of the participants. Entities in D2 are enriched with URIs from external sources. All variant forms are included.
	D3	the dataset converted in BIBFRAME 2.0 with external URIs included	This dataset includes a certain number of relationships already present in the knowledge base. Works autonomously from D2.
	D4	the MARC21 version of D3	It includes all of the institution's records enriched with URLs.



BF LC vocabulary extensions: the state-of-art

Class List

AppliesTo CreatorCharacteristic	DemographicGroup EncodingLevel	Relation Relationship
--	---	--

Property List

applicableInstitution appliesTo creatorCharacteristic	name10MatchKey name11MarcKey name11MatchKey primaryContributorName00MatchKey primaryContributorName10MatchKey primaryContributorName11MatchKey	projectedProvisionDate relation relationship	title00MarcKey title00MatchKey title10MarcKey title10MatchKey title11MarcKey title11MatchKey title30MarcKey title30MatchKey title40MarcKey title40MatchKey titleSortKey
---	---	--	---



Deliverable 1: the RDF conversion (section of RDF conversion)

```
@prefix rdfs: <http://www.w3.org/2000/01/rdf-schema#> .  
@prefix ns0: <http://id.loc.gov/ontologies/bflc/> .  
@prefix ns1: <http://id.loc.gov/ontologies/bibframe/> .  
@prefix ns2: <http://id.loc.gov/vocabulary/relators/> .  
@prefix rdf: <http://www.w3.org/1999/02/22-rdf-syntax-ns#> .  
@prefix ns3: <http://www.loc.gov/mads/rdf/v1#> .  
  
<http://share-vde.org/sharevde/rdfBibframe2/Agent/LOC> rdfs:label "LOC" .  
  
<http://id.loc.gov/authorities/names/n50044402>  
a <http://id.loc.gov/ontologies/bibframe/Agent>, <http://id.loc.gov/ontologies/bibframe/Person> ;  
rdfs:label "Bridget, approximately 1303-1373." ;  
ns0:name00MatchKey "Bridget,approximately 1303-1373." ;  
ns0:name00MarcKey "1000 $aBridget, $cof Sweden, Saint, $dapproximately 1303-1373. $0http://id.loc.gov/authorities/names/n50044402" ;  
ns0:primaryContributorName00MatchKey "Bridget,approximately 1303-1373." .  
  
<http://id.loc.gov/authorities/names/n84007202>  
a <http://id.loc.gov/ontologies/bibframe/Work>, <http://id.loc.gov/ontologies/bibframe/Text> ;  
ns1:title <http://share-vde.org/sharevde/rdfBibframe2/Title/a0f4e860-c259-3611-b7ca-03b9369568cb>, <http://share-vde.org/sharevde/rdfBibframe2/uniform-title/a0f4e860-c259-3611-b7ca-03b9369568cb> ;  
ns2:cre <http://id.loc.gov/authorities/names/n50044402> ;  
ns1:content <http://rdaregistry.info/termList/RDAContentType/1020>, <http://id.loc.gov/vocabulary/contentTypes/txt> ;  
ns1:adminMetadata <http://share-vde.org/sharevde/rdfBibframe2/AdminMetadata/4a8a08f0-9d37-3737-9564-9038408b5f33> ;  
ns1:language <http://id.loc.gov/vocabulary/languages/eng>, <http://share-vde.org/sharevde/rdfBibframe2/Language/74e6a8b1-11ea-3da1-a7d0-a596f4c35208> ;  
ns1:genreForm <http://id.loc.gov/vocabulary/marcgt/bib> ;  
ns1:classification <http://share-vde.org/sharevde/rdfBibframe2/Lcc/842e73eb-0d86-374b-a4bd-dae01b30c68a> ;  
ns1:subject <http://share-vde.org/sharevde/rdfBibframe2/Subject/6c09b127-ac1a-3428-ad6e-f896dbf69260>, <http://share-vde.org/sharevde/rdfBibframe2/Subject/2f1b63c0-98ed-35e9-b57b-f7d7ce7c525d> .
```

LC vocabulary extension



Deliverable 1: the RDF conversion (section of RDF conversion)

```
<http://share-vde.org/sharevde/rdfBibframe2/Title/a0f4e860-c259-3611-b7ca-03b9369568cb> rdfs:label " Revelationes."  
<http://share-vde.org/sharevde/rdfBibframe2/uniform-title/a0f4e860-c259-3611-b7ca-03b9369568cb>  
a ns1:Title ;  
rdfs:label "Revelationes." ;  
ns0:titleSortKey "Revelationes." ;  
ns1:mainTitle "Revelationes." ;  
ns0:title40MatchKey "Revelationes." ;  
  
ns0:title40MarcKey "24010$aRevelationes. $lEnglish $s(Searby) $0http://id.loc.gov/authorities/names/n84007202" .  
  
<http://share-vde.org/sharevde/rdfBibframe2/Instance/LOC13910411>  
ns1:instanceOf <http://id.loc.gov/authorities/names/n84007202> ;  
ns1:issuance <http://id.loc.gov/vocabulary/issuance/mono> ;  
ns1:adminMetadata <http://share-vde.org/sharevde/rdfBibframe2/AdminMetadata/ad1517aa-fe91-3d10-902c-a0de7cbd787e>,  
<http://share-vde.org/sharevde/rdfBibframe2/AdminMetadata/4abffd-8e4b-3806-b70a-e5c95af4f221>, <http://share-vde.o  
sharevde/rdfBibframe2/AdminMetadata/11d5ffba-c1cd-3077-a2f5-aeb0b1fdc4f9> ;  
ns1:contribution <http://share-vde.org/sharevde/rdfBibframe2/Contribution/8cd47f23-58b9-3a8c-b1f9-4627fca86c1a>,  
<http://share-vde.org/sharevde/rdfBibframe2/Contribution/e3d5c3a8-560a-3737-a105-dc7a4e8eadba> ;  
a ns1:Instance ;  
ns1:media <http://rdaregistry.info/termList/RDAMediaType/1007>, <http://id.loc.gov/vocabulary/mediaTypes/n> ;  
ns1:carrier <http://rdaregistry.info/termList/RDACarrierType/1049>, <http://id.loc.gov/vocabulary/carriers/nc> ;  
ns1:title <http://share-vde.org/sharevde/rdfBibframe2/title-statement/1835091e-3641-34e6-b0c5-fe64446acc12> ;  
ns1:dimensions "25 cm" ;  
ns1:extent <http://share-vde.org/sharevde/rdfBibframe2/Extent/0d4d8bca-a46a-3701-874b-8c45a15205c7> ;  
ns1:note <http://share-vde.org/sharevde/rdfBibframe2/Note/2165960f-7bd9-3e33-b926-23c0de8c9765>, <http://share-  
vde.org/sharevde/rdfBibframe2/Note/92ace715-99d1-30a5-bca0-aec0d55a14ec> ;  
ns1:responsibilityStatement "translated by Dennis Searby with Introduction and Notes By Bridget Morris." ;  
ns1:provisionActivity <http://share-vde.org/sharevde/rdfBibframe2/ProvisionActivity/  
0c8dec7d-3f14-30cb-8074-7049da6859f9> ;
```



Deliverable 2: the Cluster Knowledge Base

An example of clusterization algorithms

Clusterization of "forename" heading type

Example:

"\$aBridget,\$cof Sweden, Saint,\$dapproximately 1303-1373"

- 1) selections of interesting subfield
- 2) normalization of string text without diacritics, accents: Bridget of Sweden Saint approximately 1303-1373.
- 3) translate all in uppercase and search string into db variant forms and cross references:
BRIDGET OF SWEDEN SAINT APPROXIMATELY 1303-1373
- 4) if no cluster found, subfields will be analyzed
 - 4.1 comparing \$a with other existing forms
 - 4.2 comparing only the numeric part of \$d (having same \$a): \$dapproximately 1303-1373 => \$d1303-1373
 - 4.3 comparing \$c for "saint" or "santa" or other forms (having same \$a)

Deliverable 2: the Cluster Knowledge Base

PostgreSQL as a bridge

	cstr_id integer	hdg_id text	name text	pref_frm boolean
	151177	AN163420	Bridget, of Sweden, Saint, approximately 1303-1373	false
	151177	AX1253673	Bridget, of Sweden, Saint, approximately 1303-1373. ...	false
	151177	AX1253674	Bridget, of Sweden, Saint, approximately 1303-1373. ...	false
	151177	AX1253675	Bridget, of Sweden, Saint, approximately 1303-1373. ...	false
	151177	AX1253676	Bridget, of Sweden, Saint, ca. 1303-1373. Uppenbarel...	false
	151177	AX1253677	Bridget, of Sweden, Saint, ca. 1303-1373. Reuelation...	false
	151177	AX1326216	Bridget, of Sweden, Saint, approximately 1303-1373. ...	false
	151177	AX1326217	Bridget, of Sweden, Saint, ca. 1303-1373. Revelationes	false
	151177	AX186404	Birgit, of Sweden, Saint, approximately 1303-1373	false
	151177	AX186405	Birgitta Birgersdotter, approximately 1303-1373	false
	151177	AX186406	Birgitta, of Sweden, Saint, approximately 1303-1373	false
	151177	AX186407	Birgitta, Saint, of Sweden, d. 1373	false
	151177	AX186408	Birgitta, von Schweden, Saint, approximately 1303-13...	false
	151177	AX186409	Bridget, of Sweden, Saint, ca. 1303-1373	false
	151177	AX186410	Brigid, of Sweden, Saint, approximately 1303-1373	false
	151177	AX186411	Brigida, di Svezia, approximately 1303-1373	false
	151177	AX186412	Brigida, of Sweden, Saint, approximately 1303-1373	false
	151177	AX186413	Brigitta, of Sweden, Saint, approximately 1303-1373	false
	151177	AX186414	Brigitte, de Suède, Saint, approximately 1303-1373	false
	151177	AX186415	Brigitte, of Sweden, Saint, approximately 1303-1373	false

Deliverable 2: the Cluster Knowledge Base

The final result

▼ This person in

-  isni
-  WIKIDATA
-  LIBRARY OF CONGRESS
-  WorldCat Identities
-  data.bnf.fr
-  VI
AF



Birgitta, helgon, 1303-1373
ID: 151177

Works

▼ Other name forms

-  Bridget, of Sweden, Saint, approximately 1303-1373
-  Brígida, de Suécia, santa, 1303-1373
-  Brigitta, s., vidua, c. 1303-1373
-  Brigitta, Zviedrijas, Svētā, ap 1303-1373
-  Bridget, of Sweden, Saint, approximately 1303-1373
-  Birgitta святая 1303-ок.1373
-  Birgitta, de Suède, sainte
-  Brígida 1303-1373 de Suecia, santa
-  Bridget, of Sweden, Saint, ca. 1303-1373
-  Brygida (św. ; 1302-1373)
-  Birgitta, of Sweden, Saint, approximately 1303-1373
-  Birgitta, Saint, of Sweden, d. 1373
-  Birgitta, von Schweden, Saint, approximately 1303-1373
-  Brigitta, of Sweden, Saint, approximately 1303-1373
-  Brigitte, de Suède, Saint, approximately 1303-1373
-  Brídge, of Suðen, Saint, ca.

<<http://share-vde.org/sharevde/rdfBibframe/Agent/151177>> <<http://www.w3.org/2002/07/owl#sameAs>> <<http://isni.org/isni/0000000121012842>> .
<<http://share-vde.org/sharevde/rdfBibframe/Agent/151177>> <<http://www.w3.org/2002/07/owl#sameAs>> <<http://www.wikidata.org/entity/Q204996>> .
<<http://share-vde.org/sharevde/rdfBibframe/Agent/151177>> <<http://www.loc.gov/mads/rdf/v1#isIdentifiedByAuthority>> <<http://id.loc.gov/authorities/names/n50044402>> .



Deliverable 4: URIs table for external sources

SHARE-VDE								URI_table_for_external_sources_2017-12-22.xls	
	SPARQL endpoint	RDF dump	LICENSE TERMS	URL SEARCH	NOTES	AUTHIFY (Yes for search URL specified)	SUBFIELD \$0/\$1		
	Yes			http://id.loc.gov/search/?q=Shakespeare+William&q=cs%3Ahttp%3A%2F%2Fid.loc.gov%2Fauthorities%2Fnames&format=atom&start=1		http://\$host:\$port/authify/lcnaf/persons? q=Eco, Umberto	\$0		
	Yes			http://id.loc.gov/search/?q=bible+old+testament&q=cs		http://\$host:\$port/authify/lcnaf/works?ti :Solomon 2017-12-22 ify/lcnaf/nt?title= larte%20della%20	\$0		
SHARE-VDE								URI_table_for_external_sources_2017-12-22.xls	
CODE	SOURCE	INSTITUTION	LINK TO PROJECT PAGE	URI	URI EXAMPLE	MARC21 TAG	API/WS	SHARE-VDE	
NAF (Names)	Library of Congress Names	Library of Congress	http://id.loc.gov/authorities/names.html	http://id.loc.gov/authorities/names	http://id.loc.gov/authorities/names/n78095332	100/110/111 \$0 700/710/711 \$0 600 \$0 ?	S/M	http://id.loc.gov/authorities/names/n7901285	
NAF (NameTitle + Titles)	Library of Congress Title / NameTitle	Library of Congress	http://id.loc.gov/authorities/names.html	http://id.loc.gov/authorities/names	http://id.loc.gov/authorities/names/nr00019197	100/110/111(\$t) \$0 700/71C 600 \$0 \$0 730 \$	S/M	http://id.loc.gov/authorities/names/n80106714	
LCSH	Library of Congress Subject Headings	Library of Congress	http://id.loc.gov/authorities/subjects.html	http://id.loc.gov/authorities/subjects	http://id.loc.gov/authorities/subjects/sh90004917 http://id.loc.gov/authorities#conceptscheme	6xx \$0		http://id.loc.gov/authorities/names/nr00019197	
LC Classification	Library of Congress Classifications	Library of Congress	http://id.loc.gov/authorities/classification.html	http://id.loc.gov/authorities/classification	http://id.loc.gov/authorities/classification/Z22784.P7			http://id.loc.gov/authorities/subjects/sh85037601	
LC Identifiers	Library of Congress Standard Identifiers Scheme	Library of Congress	http://id.loc.gov/vocabulary/identifiers.html	http://id.loc.gov/vocabulary/identifiers	http://id.loc.gov/vocabulary/identifiers/isbn				
Geographic Areas	MARC List for Geographic Areas	Library of Congress	http://id.loc.gov/vocabulary/geographicAreas.html	http://id.loc.gov/vocabulary/geographicAreas	http://id.loc.gov/vocabulary/geographicAreas/e-it	043 \$0			
Relators	MARC Code List for Relators	Library of Congress	http://id.loc.gov/vocabulary/relators.html	http://id.loc.gov/vocabulary/relators	http://id.loc.gov/vocabulary/relators/cre	1xx-7xx			
Languages	MARC List for Languages	Library of Congress	http://id.loc.gov/vocabulary/languages.html	http://id.loc.gov/vocabulary/languages	http://id.loc.gov/vocabulary/languages/ita	041 ?			
Countries	MARC List for Countries	Library of Congress	http://id.loc.gov/vocabulary/countries.html	http://id.loc.gov/vocabulary/countries	http://id.loc.gov/vocabulary/countries/it	?			
ISNI	ISNI - International Standard Name Identifier	OCLC	http://isni.org/search	http://isni.org/isni/[ID]	http://isni.org/0000000121032683 http://isni.org/0000000109205182	100/110 700/71C 600 \$1 ?			
VIAF (Names)	VIAF - Virtual International Authority File	OCLC	http://viaf.org/	http://viaf.org/viaf/id	http://viaf.org/viaf/96994048	100/110 700/71C 600 \$1 ?		http://isni.org/isni/0000000120981297	
								http://viaf.org/viaf/14356	

Deliverable 4: the enriched MARC21

Record example: <http://id.loc.gov/tools/bibframe/compare-id/full-ttl?find=13910411>

[Original record]

```
01996cam a2200421 i 4500
001    13910411
005    20161026123523.0
008    050324s2015     nyua      b    001 0 eng
010    $a 2005047277
020    $a9780195166446 (v.1)
020    $a9780195166262 (v.2)
020    $a9780195166279 (v.3)
020    $a9780195166286 (v.4)
040    $aDLC$beng$cDLC$erda
041 1  $aeng$hlat
042    $apcc
050 00 $aBX4700.B62$bE5 2006
100 0  $aBridget,$cof Sweden, Saint,$dapproximately 1303-1373.
240 10 $aRevelationes.$lEnglish$s(Searby)
245 14 $aThe revelations of St. Birgitta of Sweden Volume 4 : the heavenly emperor's book to kings, the rule, and minor works /$ctranslated by Dennis Searby with Introduction and Notes By Bridget Morris.
264 1 $aOxford :$bOxford University Press,$c2006-[2015]
300    $a4 volumes :$billustrations ;$c25 cm
```



Deliverable 4: the enriched MARC21

Record example: <http://id.loc.gov/tools/bibframe/compare-id/full-ttl?find=13910411>

[Original record]

```
336    $atext$btxt$2rdacontent
337    $aunmediated$bn$2rdamedia
338    $avolume$bnc$2rdacarrier
504    $aIncludes bibliographical references and index.
505 0  $av. 1. Liber Caelestis, books I-III -- v. 2. Liber Caelestis, books IV-V -- v. 3. Liber Caelestis, books VI-VII
-- v. 4. The heavenly emperor's book to kings, the rule, and minor works.
650 0 $aPrivate revelations.
650 0 $aVisions.
700 1 $aSearby, Denis Michael,$etranslator.
700 1 $aMorris, Bridget,$d1954-$ewriter of supplementary textual content.
906    $a0$bibc$corignew$d2$encip$f20$gy-gencatlg
925 0 $aacquire$b1 shelf copy$xpolicy default
952    $aComplete in 4 vols.
955    $brm08 2016-06-06 (Telework)
955    $apc16 2005-03-24 to LCD$csh21 2005-03-30$dsh13 2005-03-31$esh42 2005-04-04 to Dewey$aaa05 2005-04-06$aps12
2006-07-19 1 copy rec'd., to CIP ver.$fpv17 2006-08-03 Z-CipVer$arc09 2009-06-25 v. 2 added$trf13 2009-07-27 c. 2, v. 2
to BCCD
955    $aADDED VOLS: v. 3 xn05 2012-4-5 to USGEN
955    $aADDED VOLS: v. 4 xn12 2015-12-01 to USASH
```



Deliverable 4: the enriched MARC21

Record example: <http://id.loc.gov/tools/bibframe/compare-id/full-ttl?find=13910411>

[The same record enriched with URIs]

```
=LDR 02447cam a2200421 i 4500
=001 13910411
=005 20161026123523.0
=008 050324s2015\\\nyua\\\\\\b\\\\\\001\\0\\eng\\\
=010 \\$a 2005047277
=020 \\$a9780195166446 (v.1)
=020 \\$a9780195166262 (v.2)
=020 \\$a9780195166279 (v.3)
=020 \\$a9780195166286 (v.4)
=040 \\$aDLC$beng$cDLC$erda
=041 1\\$aeng$hlat
=042 \\$apcc
=050 00$aBX4700.B62$bE5 2006
=100 0\\$aBridget,$cof Sweden, Saint,$dapproximately 1303-1373.
$0http://id.loc.gov/authorities/names/n50044402
=240 10$aRevelationes.$lEnglish$(Searby)$0http://id.loc.gov/authorities/names/n84007202
=245 14$aThe revelations of St. Birgitta of Sweden Volume 4 : the heavenly emperor's book to kings, the
rule, and minor works /$ctranslated by Dennis Searby with Introduction and Notes By Bridget Morris.
=264 \1$aOxford :$bOxford University Press,$c2006-[2015]
=300 \\$a4 volumes :$billustrations ;$c25 cm
```



Deliverable 4: the enriched MARC21


Record example: <http://id.loc.gov/tools/bibframe/compare-id/full-ttl?find=13910411>

[The same record enriched with URIs]

```
=336 \\$atext$btxt$2rdacontent$0http://rdaregistry.info/termList/RDAContentType/1020
=337 \\$aunmediated$bn$2rdamedia$0http://rdaregistry.info/termList/RDAMediaType/1007
=338 \\$avolume$bnc$2rdacarrier$0http://rdaregistry.info/termList/RDACarrierType/1049
=504 \\$aIncludes bibliographical references and index.
=505 0\\$av. 1. Liber Caelestis, books I-III -- v. 2. Liber Caelestis, books IV-V -- v. 3.
Liber Caelestis, books VI-VII -- v. 4. The heavenly emperor's book to kings, the rule, and minor works.
=650 \\0$aPrivate revelations.$0http://id.loc.gov/authorities/subjects/sh85107042
=650 \\0$aVisions.$0http://id.loc.gov/authorities/subjects/sh85143882
=700 1\\$aSearby, Denis Michael,$etranslator.$0http://id.loc.gov/authorities/names/nr98021028
=700 1\\$aMorris, Bridget,$d1954-$ewriter of supplementary textual content.$0http://id.loc.gov/authorities/names/n92016617
=906 \\$a0$bibc$corignew$d2$encip$f20$gy-gencatlg
=925 0\\$aacquire$b1 shelf copy$xpolicy default
=952 \\$aComplete in 4 vols.
=955 \\$brm08 2016-06-06 (Telework)
=955 \\$apc16 2005-03-24 to LCD$csh21 2005-03-30$dsh13 2005-03-31$esh42 2005-04-04 to Dewey$aaa05
2005-04-06$aps12 2006-07-19 1 copy rec'd., to CIP ver.$fpv17 2006-08-03 Z-CipVer$arc09 2009-06-25 v. 2
added$trf13 2009-07-27 c. 2, v. 2 to BCCD
=955 \\$aADDED VOLs: v. 3 xn05 2012-4-5 to USGEN
=955 \\$aADDED VOLs: v. 4 xn12 2015-12-01 to USASH
```



LODIFY Maturity Level




Lodify is the framework that automates the conversion and publication of bibliographic and authority data in RDF according to BIBFRAME 2.0 ontology in a linearly scalable way.

It works strictly in conjunction with other tools and components such as **Authify**, the **Database of relationships** and the **Clusters Knowledge Base (CKB)**.

Lodify contains the **conversions rules** from Marc21 to Bibframe 2.0, following the public mapping published on the LC site.

Lodify is flexible and adaptable to multiple situations: it allows, therefore, to manage the classes and properties not only of BF but also of ontologies that are considered integrative of the project.

LODIFY Maturity Level



Data conversion and analysis:

- During this phase we analyzed a file of 690 RDA BIBCO Standard Records produced by Casalini Libri for LC (file belonging to the SHELF-READY workflow).
- This file was converted taking into account the rules of the Deliverable 3.
- These 690 records are used to determinate the maturity status of LODIFY.



LODIFY Maturity Level

OUTCOMES:

TAG MARC	VALUE	INDICATOR	SUBFIELD	CONVERTED IN BIBFRAME (@Cult)	CONVERTED IN BIBFRAME (LOC)
000/05				Y	Y
000/06	a			Y	Y
000/7	m			Y	Y
000/8	#			N	N (ignore)
000/08	a			Y	Y
000/09				N	N (ignore)
000/10				N	N (ignore)
000/11				N	N (ignore)
000/12-16				N	N (ignore)

a	Y	Y
b	N	N
n	N	N
d	N	N
c	N	N
e	Y (we use the relator term, not the URL)	Y (different from LOC)
0	Y	Y
a	Y	Y
n	N	N
d	N	N
c	N	N
a	Y	Y
0	Y	Y
1	Y	Y
758		
4	N	N (nac)???
1	N	N
856		
3	Y	Y
u	Y	Y
MANAGED 40 TAGS		
MANAGED 23 VALUE POSITIONS OF TAG 000 AND 008		
MANAGED 106 SUBFIELDS		

Analysis result:

- Managed and converted **40** tags on 41 found in all records
- Managed and converted **23** value positions of tags 000 and 008
- Managed and converted **106** subfields



What comes next?



Looking backward to built the future

The **outputs of phase 2** is something that librarians and technicians can have ‘in hands’ to start a concrete experience and a discussion about them.

The **use cases** we are thinking about or that we are working on were born from two different exigencies:

- a. **to cover a gap** or an empty space that comes from the past, such as how to convert lots of data already in MARC through batch conversion processes;
- b. **to create a new ecosystem**, that is already the future, such as new tools to produce data in LD.

Emphasis is given on **short phases**, with **tangible results**, on which the community can base future decisions and further steps.



BIBFRAME Update Forum
ALA Annual Conference 2018
New Orleans

Thank you!

Any questions or feedback are greatly
appreciated

Tiziana Possemato
Casalini Libri - @Cult

